

## REFERENCE LIST – 6-30-2017

References we currently have for the yellow-banded bumble bee species status assessment

- Abu-Asab, M.S., P.M. Peterson, S.G. Shetler, and S.S. Orli. 2001. Earlier plant flowering in spring as a response to global warming in the Washington, DC, area. *Biodiversity Conservation* 10:597-612.
- Ahrné, K., J. Bengtsson, T. Elmqvist. 2009. Bumble Bees (*Bombus* spp) along a gradient of increasing urbanization. *PLoS ONE* 4(5): e5574.
- Alaux, C., J. Brunet, C. Dussaubat, F. Mondet, S. Tchamitchan, M. Cousin, J. Brillard, A. Baldy, L. P. Belzunces, and Y. Le Conte. Interactions between *Nosema* microspores and a neonicotinoid weaken honey bees (*Apis mellifera*). *Environmental Microbiology*. 12(3): 774-782.
- Aldridge, G., D.W. Inouye, J.R.K. Forrest, W.A. Barr, and A.J. Miller-Rushing. 2011. Emergence of a mid-season period of low floral resources in a montane meadow ecosystem associated with climate change. *Journal of Ecology* 99(4):905-913.
- Alghamdi, A., L. Dalton, A. Phillis, E. Rosato, and E. B. Mallon. 2008. Immune response impairs learning in free-flying bumble-bees. *Biol. Lett.* 4, 479–481.
- Arena, M. and F. Sgolastra. 2014. A meta-analysis comparing the sensitivity of bees to pesticides. *Ecotoxicology* 23:324–334.
- Aufauvre, J., D. G. Biron, C. Vidau, R. Fontbonne, M Roudel, M Diogon, B Viguès, L P. Belzunces, F. Delbac and N. Blot. 2012. Parasite-insecticide interactions: A case study of *Nosema ceranae* and fipronil synergy on honey bee. *Scientific Reports*. 2 (326) 1-7.
- Bailey, R. G. 1983. Delineation of Ecosystem Regions. *Environmental Management*. 7(4): 365-373. Bailey, R.G., P.E. Avers, T. King, and W.H. McNab (eds). 1994. Ecoregions and subregions of the United States (map, scale 1:7,500,000) (supplementary table of map unit descriptions compiled and edited by McNab, W.H. and R.G. Bailey). U.S. Department of Agriculture–Forest Service. Washington, D.C.
- Baron, G. L, N. E. Raine, and M. J. F. Brown. 2014. Impact of chronic exposure to a pyrethroid pesticide on bumble bees and interactions with a trypanosome parasite. *Journal of Applied Ecology*. 51: 460–469.
- Bayo, F. 2015. Environmental Risk Assessment of Agrochemicals - A Critical Appraisal of Current Approaches. In *Toxicity and Hazards of Agrochemicals*, M. Larramendy and S. Soloneski editors: 1-38.
- Bhattacharya M., R.B. Primack, and J. Gerwein. 2003. Are roads and railroads barriers to bumblebee movement in a temperate suburban conservation area? *Biological Conservation* 109:37-45
- Bortolotti, L. , E. Grazioso, C. Porrini, G. Sbrenna. 2001.- Effect of pesticides on the bumble bee, *Bombus terrestris* L. in the laboratory.- In: Proceedings of the 7th International Symposium “Hazards of pesticides to bees”, September 7-9, 1999, Avignon, France (BELZUNCES L. P., PÉLISSIER C., LEWIS G. B., Eds). *Les Colloques de l’INRA*, 98: 217-225.
- Brown, M. J. F., R. Loosli, and P. Schmid-Hempel. 2000. Condition-dependent expression of virulence in a trypanosome infecting bumble bees. *Oikos* 91:421-427.

- Brown, M.J.F., R. Schmid-Hempel, and P. Schmid-Hempel. 2003. Strong context dependent virulence in a host-parasite system: reconciling genetic evidence with theory. *Journal of Animal Ecology* 72:994-1002.
- Brown, J.F., B.D. Wardlow, T. Tadesse, M.J. Hayes, and B.C. Reed. 2008. The Vegetation Drought Response Index (VegDRI)—A new integrated approach for monitoring drought stress in vegetation: *GIScience and Remote Sensing*, v. 45, no. 1, p. 16-46, available at <http://dx.doi.org/10.2747/1548-1603.45.1.16>
- Brown, M. J. F. and R. J. Paxton. 2009. The conservation of bees: A global perspective. *Apidologie* 40:410–416.
- Brown, M. J. F. 2011. The trouble with bumble bees. *Nature* 469:169-170.
- Burns, I. 2004. Social development and conflict in the North American bumble bee *Bombus impatiens*.
- Cresson. University of Minnesota. Ph.D. Thesis. November 2004. 211 pages.
- Bushmann S., F.A. Drummond, L.A. Beers, and E. Groden. 2012. Wild bumblebee (*Bombus*) diversity and *Nosema* (microsporidia: nosematidae) infection levels associated with lowbush blueberry (*Vaccinium angustifolium*) production and commercial bumblebee pollinators. *Psyche* 2012: Art. ID: 429398, 1-11.
- Cameron, S.A., H.M. Hines, and P.H. Williams. 2007. A comprehensive phylogeny of the bumble bees (*Bombus*). *Biological Journal of the Linnean Society* 91:161-188.
- Cameron, S., S. Jepsen, E. Spevak, J. Strange, M. Vaughan, J. Engler, and O. Byers (eds). 2011a. North American Bumble Bee Species Conservation Planning Workshop Final Report. IUCN/SSC Conservation Breeding Specialist Group: Apple Valley, MN. Available online at: [http://www.cbsg.org/cbsg/workshopreports/26/bumble\\_bee\\_conservation\\_2010.pdf](http://www.cbsg.org/cbsg/workshopreports/26/bumble_bee_conservation_2010.pdf)
- Cameron, S.A., J.D. Lozier, J.P. Strange, J.B. Koch; N. Cordes, L.F. Solter, and T.L. Griswold. 2011b. Patterns of widespread decline in North American bumble bees. *Proceedings of the National Academy of Sciences* 108 (2):662-667.
- Cameron S, Lozier JD, Strange JP, Koch JB, Cordes N, Solter LF, Griswold TL. 2011. Supporting Information for Patterns of widespread decline in North American bumble bees. *Proceedings of the National Academy of the United States of America* 108.
- Cameron, S.A., H.C. Lim, J.D. Lozier, M.A. Duennes, and R. Thorp. 2016. Test of the invasive pathogen hypothesis of bumble bee decline in North America. *Proceedings of the National Academy of Sciences* 113 (16): 4386–4391.
- Carvalho GA (2001). The number of sex alleles (CSD) in a bee population and its practical importance (Hymenoptera: Apidae). *J Hymn Res* 10: 10–15.
- Carvell, C., D.B. Roy, S.M. Smart, R.F. Pywell, C.D. Preston, and D. Goulson. 2006. Declines in forage availability for bumblebees at a national scale. *Biological Conservation* 132:481-489.
- Chapman, R. E. and A. F. G. Bourke. 2001. The influence of sociality on the conservation biology of social insects. *Ecology Letters*. 4(650-662).
- Colla, S.R., M.C. Otterstatter, R.J. Gegear, and J.D. Thomson. 2006. Plight of the bumblebee: pathogen spillover from commercial to wild populations. *Biological Conservation* 129: 461-467.

- Colla, S.R. and L. Packer. 2008. Evidence for decline in eastern North America bumble bees (Hymenoptera: Apidae), with special focus on *Bombus affinis* Cresson. *Biodiversity Conservation* 17:1379-1391.
- Colla S.R. and S Dumesh. 2010. The bumble bees of southern Ontario: Notes on natural history and distribution. *Journal of the Ecological Society of Southern Ontario* 141:39-68.
- Colla, S. R., M.C. Otterstatter, R.J. Gegear, and J.D. Thomson. 2006. Plight of the bumble bee: Pathogen spillover from commercial to wild populations. *Biological Conservation* 129:461-467.
- Colla, S. R., J. S. Ascher, M. Arduser, J. Cane, M. Deyrup, S. Drogege, J. Gibbs, T. Griswold, H. G. Hall, C. Henne, J. Neff, R. P. Jean, M. G. Rightmeyer, C. Sheffield, M. Veit, and A. Wolf. 2012.
- Documenting Persistence of Most Eastern North American Bee Species (Hymenoptera: Apoidea: Anthophila) to 1990–2009. *Journal of the Kansas Entomological Society* 85(1):14-22.
- Commission Implementing Regulation (EU) No 485/2013. 2013. In RE: The conditions of approval of the active substances clothianidin, thiamethoxam and imidacloprid, and prohibiting the use and sale of seeds treated with plant protection products containing those active substances.
- Coors, A. and L. De Meester. 2008. Synergistic, antagonistic and additive effects of multiple stressors: Predation threat, parasitism and pesticide exposure in *Daphnia magna*. *J. Appl. Ecol.* 45, 1820– 1828.
- Corbet, S.A., M. Fussell, R. Ake, A. Fraser, C. Gunson, A. Savage, and K. Smith. 1993. Temperature and the pollinating activity of social bees. *Ecological Entomology* 18:17-30.
- Cordes, N. J.D. Lozier, W. Huang, L.F. Solter, and J.P. Strange. 2011. Interspecific geographic distribution and variation of the pathogens *Nosema bombi* and *Crithidia* species in United States bumble bee populations. *Journal of Invertebrate Pathology*. In press. 8 pages.
- Cox, C. 2001. Insecticide factsheet: Imidacloprid. *Journal of Pesticide Reform*. 21:15-22. Crook and Crozier 1995
- Darvill, B., J. S. Ellis, G. C. Lye, and D. Goulson. 2006. Population structure and inbreeding in a rare and declining bumble bee, *Bombus muscorum* (Hymenoptera: Apidae). *Molecular Ecology* 15:601-611.
- Darvill, B., S. O'Connor, G. C. Lye, J. Waters, O. Lepias, and D. Goulson. 2010. Cryptic differences in dispersal lead to differential sensitivity to habitat fragmentation in two bumble bee species. *Molecular Ecology* 19:53-63.
- Darvill B., O. Lepais, L.C. Woodall, and D. Goulson. 2012. Triploid bumblebees indicate a direct cost of inbreeding in fragmented populations. *Molecular Ecology* 21:3988-3995.
- Di Priscoa, G., V. Cavaliere, D. Annoscia, P. Varricchio, E. Capriola, F. Nazzic, G. Gargiulo, and F. Pennacchio. 2013. Neonicotinoid clothianidin adversely affects insect immunity and promotes replication of a viral pathogen in honey bees. *PNAS*. 110 (46): 18466-18471.
- Dramstad, W.E. 1996. Do bumble bees (Hymenoptera: Apidae) really forage close to their nests? *Journal of Insect Behavior*. 9:163-182.
- Douglas, M., and J. F. Tooker. 2015. Large-scale deployment of seed treatments has driven rapid increase in use of neonicotinoid insecticides and preemptive pest management in U.S. field crops. *Environmental Science and Technology* 49:5088-5097.

- Duennes, M. A., J. D. Lozier, H. M. Hines, and S. A. Cameron. 2012. Geographical patterns of genetic divergence in the widespread Mesoamerican bumble bee *Bombus ephippiatus* (Hymenoptera: Apidae). *Molecular Phylogenetics and Evolution* 64:219-231.
- Durrer, S. and P. Schmid-Hempel. 1994. Shared use of flowers leads to horizontal pathogen transmission. *Proceedings of the Royal Society: Biological Sciences* 258:299- 302.
- Ecological Stratification Working Group. 1996. A National Ecological Framework for Canada. Agriculture and Agri-Food Canada, Research Branch, Centre for Land and Biological Resources Research, and Environment Canada, State of the Environment Directorate, Ecozone Analysis Branch, Ottawa/Hull. Report and national map at 1:7 500 000 scale.
- Eijnde, J. van der and N. Vette. 1993. Nosema infection in honey bee (*Apis mellifera* L.) and bumble bees (*Bombus terrestris* L.), *Proc. Exp. Appl. Entomol.N.E.V. Amsterdam* 4, 205–208.
- Elbert A., M. Haas, B. Springer, W. Thielert, R. Nauen. 2008. Applied aspects of neonicotinoid uses in crop protection. *Pest Management Science* 64:1099–1105.
- Elston, C., H. Thompson, K. Walters. 2013. Sub-lethal effects of thiamethoxam, a neonicotinoid pesticide, and propiconazole, a DMI fungicide, on colony initiation in bumble bee (*Bombus terrestris*) micro-colonies. *Apidologie* DOI: 10.1007/s13592-013-0206-9
- Estoup, A., M. Solignac, J.M. Cornuet, J. Goudets, and A. Scholls. 1996. Genetic differentiation of continental and island populations of *Bombus terrestris* (Hymenoptera: Apidae) in Europe. *Molecular Ecology* 5:19-31.
- European Food Safety Authority. 2015.
- Evans, E., Thorp, R., Jepsen, S., and Black, S.H. 2008. Status review of three formerly common species of bumble bee in the subgenus *Bombus*.
- Fausser-Misslin, A., B.M. Sadd, P. Neumann, and C. Sandrock. 2014. Influence of combined pesticide and parasite exposure on bumble bee colony traits in the laboratory. *Journal of Applied Ecology* 51:450-459.
- Feltham, H., K. Park, and D. Goulson. 2014. Field realistic doses of pesticide imidacloprid reduce bumble bee pollen foraging efficiency. *Ecotoxicology* 23:317-323.
- Fitzpatrick, U, TE Murray, RJ Paxton, J Breen, D Cotton, V Santorum, and MJF Brown. 2007. Rarity and decline in bumble bees: a test of causes and correlates in the Irish fauna. *Biological Conservation* 136:185-194.
- Foristera, M. L., A.C. McCall, N. J. Sanders, J. A. Fordyce, J. H. Thorne, J. O'Brien, D. P. Waetjen, and A. M. Shapiro. 2010. Compounded effects of climate change and habitat alteration shift patterns of butterfly diversity. *PNAS* 107(5): 2088-2092.
- Forrest J, Inouye D.W., Thomson JD. 2010. Flowering phenology in subalpine meadows: Does climate variation influence community co-flowering patterns? *Ecology* 91:431–440.
- Frankie, G. W., R.W. Thorp, M. Schindler, J. Hernandez, B. Ertter, and M. Rizzardi. 2005. Ecological patterns of bees and their host ornamental flowers in two northern California cities. *Journal of the Kansas Entomological Society*. 78: 227-246.

- Furst, M. A., D.P. McMahon, J.L. Osborne, R.J. Paxton, and M.J.F. Brown. 2014. Disease associations between honey bees and bumble bees as a threat to wild pollinators. *Nature* 506:364-366.
- Gegear, R.J., M.C. Otterstatter, and J.D. Thomson. 2005. Does parasitic infection impair the ability of bumblebees to learn flower-handling techniques? *Animal Behaviour* 70:209-215.
- Gegear, R.J., M.C. Otterstatter, and J.D. Thomson. 2006. Bumble-bee foragers infected by a gut parasite have an impaired ability to utilize floral information. *Proceedings of the Royal Society Bioscience*. 273:1073-1078.
- Gels, J.A, D.W. Held, and D.A. Potter. 2002. Hazards of insecticides to the bumble bees *Bombus impatiens* (Hymenoptera: Apidae) foraging on flowering white clover in turf. *Journal of Economic Entomology* 95(4):722-728.
- Genersch, E., C. Yue, I. Fries, and J.R. de Miranda. 2006. Detection of *Deformed wing virus*, a honey bee viral pathogen, in bumble bees (*Bombus terrestris* and *Bombus pascuorum*) with wing deformities. *Journal of Invertebrate Pathology* 91:61-63.
- Gill, R. J. and N.E. Raine. 2014. Chronic impairment of bumble bee natural foraging behaviour induced by sublethal pesticide exposure. *Functional Ecology*. doi: 10.1111/1365-2435.12292.
- Gill, R. J., O. Ramos-Rodriguez, N. E. Raine. 2012. Combined pesticide exposure severely affects individual- and colony-level traits in bees. *Nature* 491, 105–108. doi:10.1038/nature11585; pmid: 23086150
- Goka K., K. Okabe, M. Yoneda, and S. Niwa. 2001. Bumblebee commercialization has caused international migration of parasitic mites. *Molecular Ecology* 10:2095-2099.
- Goulson, D., M.E. Hanley, B. Darvill, J.S. Ellis, M.E. Knight. 2004. Causes of rarity in bumblebees. *Biological Conservation* 122:1-8.
- Goulson D, Hanley ME, Darvill B, Ellis JS. 2006. Biotope associations and the decline of bumble bees (*Bombus* spp.). *J. Insect Conserv.* 10:95–103.
- Goulson, D., G. C. Lye, and B. Darvill. 2008. Decline and conservation of bumble bees. *Annual Review of Entomology* 53:191-208.
- Goulson, D. 2010. *Bumble bees: Behaviour, ecology and conservation*. Second edition. Oxford University Press. 317 pages.
- Goulson, D., O. Lepais, S. O'Connor, J.L. Osborne, R.A. Sanderson, J. Cussans, L. Goffe, and B. Darvill. 2010. Effects of land use at a landscape scale on bumble bee nest density and survival. *Journal of Applied Ecology* 46: 1207-1215.
- Goulson, D., J.C. Kaden, O. Lepais, G.C. Lye, and B. Darvill. 2011. Population structure, dispersal and colonization history of the garden bumble bee *Bombus hortorum* in the Western Isles of Scotland. *Conservation Genetics*. 12:867-879.
- Goulson, D. 2013. An overview of the environmental risks posed by neonicotinoid insecticides. *Journal of Applied Ecology* 50:977–987.
- Goulson, D., E. Nicholls, C. Bouias, E.L. Rotheray. 2015. Bee declines driven by combined stress from parasites, pesticides, and lack of flowers. *Science* 347: 1255957-1-1255957-9.

- Grixti, J., L.T. Wonga, S.A. Cameron, and C. Favreta. 2008. Decline of bumble bees (*Bombus*) in the North American Midwest. *Biological Conservation* 142: 75-84.
- Hatfield, R. G. and G. LeBuhn. 2007. Patch and landscape factors shape community assemblage of bumble bees, *Bombus spp.* (Hymenoptera: Apidae), in montane meadows. *Biological Conservation* 139: 150-158.
- Hatfield, R., S. Jepsen, E. Mader, S. Hoffman Black, and M. Shepherd. 2014b. Conserving bumble bees. Guidelines for creating and managing habitat for America's declining pollinators. 32pp. Portland, OR. Xerces Society for Invertebrate Conservation.
- Hatfield, R., Jepsen, S., Thorp, R., Richardson, L., Colla, S., Foltz Jordan, S. and Evans, E. 2015. *Bombus affinis*. The IUCN Red List of Threatened Species 2015: e.T44937399A46440196. <http://dx.doi.org/10.2305/IUCN.UK.2015-2.RLTS.T44937399A46440196.en>.
- Heinrich B. 1971. Energetics of temperature regulation and foraging in a bumblebee, *Bombus terricola* Kirby. *Journal of Comparative Physiology* 77: 49-64.
- Heinrich B. 1976. The foraging specializations of individual bumblebees. *Ecological Monographs* 46(2):105-128.
- Hickling R., D. B. Roy, J. K. Hill, R. Fox, and C. D. Thomas. 2006. The distributions of a wide range of taxonomic groups are expanding polewards. *Global Change Biology*. 12:450-455.
- Hines, H.M. and S.D. Hendrix. 2005. Bumble bee (Hymenoptera: Apidae) diversity and abundance in tallgrass prairie patches: Effects of local and landscape flora resources. *Environmental Entomology* 34(6): 1477-1484.
- Hladik, M., M. Vandever, K. Smalling. 2016. Exposure of native bees foraging in an agricultural landscape to current-use pesticides. *Science of the Total Environment* 542: 469–477.
- Huntzinger M. 2003. Effects of fire management practices on butterfly diversity in the forested western United States. *Biological Conservation* 113:1-12.
- Inouye DW. 2008. Effects of climate change on phenology, frost damage, and floral abundance of montane wildflowers. *Ecology* 89(2): 353-362.
- Iwasa, T., N. Motoyama, J. T. Ambrose, and R. M. M. Roe. 2004. Mechanism for the differential toxicity of neonicotinoid insecticides in the honey bee, *Apis mellifera*. *Crop Prot.* 23, 371–378.
- Javorek, S.K., K E. MacKenzie, and S.P. Vander Kloet. 2002. Comparative pollination effectiveness among bees (Hymenoptera: Apoidea) on lowbush blueberry. *Annals of the Entomological Society of America* 95(3):345-351.
- Jha, S., and C. Kremen. 2013. Urban land use limits regional bumble bee gene flow. *Molecular Ecology* 22:2483–2495.
- Kearns, C.A. and D.W. Inouye. 1997 Pollinators, flowering plants, and conservation biology. *BioScience* 47(5):297-307.
- Kearns C. A., D. W. Inouye, and N. Waser. 1998. Endangered mutualisms: the conservation of plant–pollinator interactions. *Annual Review of Ecology and Systematics* 29: 83-112.

- Kerr, J.T., Kerr, S.M. Roberts, P. Rasmont, O. Schweiger, S.R. Colla, L.L. Richardson, D.L. Wagner, L.F. Gall, D.S. Sikes, and A. Pantoja. 2015. Climate change impacts on bumble bees converge across continents. *Science* 349(6244): 177-180.
- Kessler, Sebastien C., E. Tiedeken, K. Simcock, S. Derveau, J. Mitchell, S. Softley, J.C. Stout, and G.A. Wright. 2015. Bees prefer foods containing neonicotinoid pesticides. *Nature* 14414.
- Kimoto C. 2010. Effect of livestock grazing on native bees in a Pacific Northwest bunchgrass prairie. M.S. Thesis, Oregon State University.
- Kimoto C., S.J. DeBano, R.W. Thorp, S. Rao, and W.P. Stephen. 2012. Investigating temporal patterns of a native bee community in a remnant North American bunchgrass prairie using blue vane traps. *Journal of Insect Science* 12:108. (2012a).
- Kimoto, C., S.J. DeBano, R.W. Thorp, R.V. Taylor, H. Schmalz, T. DelCurto, T. Johnson, P.L. Kennedy, and S. Rao. 2012. Short-term responses of native bees to livestock and implications for managing ecosystem services in grasslands. *Ecosphere* 3(10):Article 88 (Kimoto *et al.* 2012b).
- Kissinger CN, SA Cameron, RW Thorp, B White, and LF Solter. 2011. Survey of bumble bee (*Bombus*) pathogens and parasites in Illinois and selected areas of northern California and southern Oregon. *Journal of Invertebrate Pathology* 107:220-224.
- Knight ME, Martin AP, Bishop S, Osborne JL, Hale RJ, Sanderson A, Goulson D. 2005. An interspecific comparison of foraging range and nest density of four bumble bee (*Bombus*) species. *Molecular Ecology* 14:1811–1820.
- Koch, J. And J. Strange, 2009. Constructing a species database and historic range maps for North American bumblebees (*Bombis sensu stricto* Latreille) to inform conservation decisions. *Uludag Bee Journal* 9(3):97-108.
- Koch, J., and J. Strange, 2012. The status of *Bombus occidentalis* and *B. moderatus* in Alaska with Special Focus on *Nosema bombi* incidence. *Northwest Science* 86(3):212– 220.
- Kraus, F.B., S. Wolf, and R.F. A. Mortiz. 2009. Male flight distance and population substructure in the bumble bee *Bombus terrestris*. 78:247-252.
- Lankau, R., P.S. Jorgensen, D.J. Harris, and A. Sih. 2011. Incorporating evolutionary principles into environmental management and policy. *Evolutionary Applications*: 4:315-325.
- Larson, J. I. R. 2007. Cytological variation and pathogenicity of the bumble bee parasite *Nosema bombi* (Microspora, Nosematidae). *Journal of Invertebrate Pathology* 94: 1-11.
- Larson, J.L. C.T. Redmond, and D.A. Potter. 2013. Assessing Insecticide Hazard to Bumble Bees Foraging on Flowering Weeds in Treated Lawns. *PLoS ONE* 8(6):e66375. doi:10.1371/journal.pone.0066375.
- Laycock, I., Lenthall, K.M., Barratt, A.T., Cresswell, J.E. 2012. Effects of imidacloprid, a neonicotinoid pesticide, on reproduction in worker bumble bee (*Bombus terrestris*). *Ecotoxicology* 21, 1937– 1945.
- Le Féon, V., A. Schermann-Legionnet, Y. Delettre, S. Aviron, R. Billeter, R. Bugter, F. Hendrickx, F. Burel. 2010. Intensification of agriculture, landscape composition and wild bee communities: A large scale study in four European countries. *Agriculture, Ecosystems and Environment* 137:143-150.

- Lepais, O. B., Darvil, S. O'Connor, J. L. Osborne, R. A. Sanderson, J. Cussans, L. Goffe, and D. Goulson. 2010. Estimation of bumble bee queen dispersal distances using sibship reconstruction method. *Molecular Ecology*. 19: 819-831.
- Lozier, J. D., and S. A. Cameron. 2009. Comparative genetic analyses of historical and contemporary collections highlight contrasting demographic histories for the bumble bees *Bombus pensylvanicus* and *B. impatiens* in Illinois. *Molecular Ecology* 18:1875-1886.
- Lozier, J. D., J. P. Strange, I. J. Stewart, and S. A. Cameron. 2011. Patterns of range-wide genetic variation in six North American bumble bee (Apidae: *Bombus*) species. *Molecular Ecology* 20:4870-4888.
- Lundin, O., M. Rundlöf, H. G. Smith, I. Fries, and R. Bommarco. 2015. Neonicotinoid insecticides and their impacts on bees: A systematic review of research approaches and identification of knowledge gaps. *PLoS ONE* 10:1-20.
- Macfarlane, R.P., K.D. Patten, L.A. Royce, B.K.W. Wyatt, and D.F. Mayer. 1994. Management potential of sixteen North American bumble bee species. *Melandria*. 50:1-12.
- Malfi, R.L. and T. Roulston. 2014. Patterns of parasite infection in bumble bees (*Bombus* spp.) of Northern Virginia. *Ecological Entomology* 39:17-29.
- Manley, R., M. Boots, and L. Wilfert. 2015. Emerging viral disease risk to pollinating insects: ecological, evolutionary and anthropogenic factors. *Journal of Applied Ecology* doi: 10.1111/1365- 2664.12385.
- Marletto F, A Patetta, and A Manino. 2003. Laboratory assessment of pesticide toxicity to bumble bees. *Bulletin of Insectology* 56:155-158.
- McFrederick, Q.S. and G. LeBuhn. 2006. Are urban parks refuges for bumble bees *Bombus* spp. (Hymenoptera: Apidae)? *Biological Conservation* 129:372-382.
- Medler, J.T. 1962. Morphometric studies on bumble bees. *Annals of the Entomological Society of America* 55:212-218.
- Memmott J., P.G. Craze, N.M. Waser, and M.V. Price. 2007. Global warming and the disruption of plant-pollinator interactions. *Ecology Letters* 10:1-8.
- Meeus, I., M.J.F. Brown, D.C. De Graaf, and G. Smagghe. 2011. Effects of Invasive Parasites on Bumble Bee Declines. *Conservation Biology* 25(4):662-671.
- Miller-Struttman, N., J. Geib, J. Franklin, P. Kevan, R. Holdo, D. Ebert-May, A. Lynn, J. Kettenbach, E. Hedrick, C. Galen. 2015. Functional mismatch in a bumble bee pollination mutualism under climate change. *Science*: 249. Pp. 1541-1544.
- Mitchell, T.B. 1962. Bees of the Eastern United States. Vol. II. North Carolina Agricultural Experiment Station Technical Bulletin 152:1-557.
- Moffett J.O. and Morton H.L. 1975. How herbicides affect honey bees. *American Bee Journal*. 115:178-179.
- Mommaerts V, G Sterk, and G Smagghe. 2006. Hazards and uptake of chitin synthesis inhibitors in bumble bees *Bombus terrestris*. *Pest Management Science* 62:752-758.



- Mommaerts, V., S. Reynders, J. Boulet, L. Besard, G. Sterk, and G. Smagghe. 2010. Risk assessment for side-effects of neonicotinoids against bumble bees with and without impairing foraging behavior. *Ecotoxicology*. 19:207-215.
- Morales C.L., and A. Travaset. 2009. A meta-analysis of impacts of alien vs. native plants on pollinator visitation and reproductive success of co-flowering native plants. *Ecology Letters* 12: 716-728.
- Moret, Y. and P. Schmid-Hempel. 2000. Survival for immunity: The price of immune system activation for bumble bee workers. *Science* 290, 1166–1168.
- Murray, T. E., M. Kuhlmann, S. G. Potts. 2009. Conservation ecology of bees: populations, species and communities. *Apidologie*. 40:211-236.
- Murray, T.E., M.F. Coffey, E. Kehoe, and F.G. Horgan. 2013. Pathogen prevalence in commercially reared bumble bees and evidence of spillover in conspecific populations. *Biological Conservation* 159:269-276.
- Noss R.F., E.T. LaRoe, and J.M. Scott. 1995. Endangered ecosystems of the United States: A preliminary assessment of loss and degradation. Washington, D.C.: U.S. Dept. of the Interior, National Biological Service. 58 pages.
- Öckinger, E. and H.G. Smith. 2007. Semi-natural grasslands as population sources for pollinating insects in agricultural landscapes. *Journal of Applied Ecology* 44: 50-59.
- Ortwine-Boes C, and J. Silbernagel. 2003. Bumblebee conservation in and around cranberry marshes. University of Wisconsin Department of Landscape Architecture.
- Osborne, J.L., S.J. Clark, R.J. Morris, I.H. Williams, J.R. Riley, A.D. Smith, D.R. Reynolds, and A.S. Edwards. 1999. A landscape-scale study of bumble bee foraging range and constancy, using harmonic radar. *Journal of Applied Ecology* 36:519-533.
- Otterstatter, M. C. and T. L. Whidden. 2004. Patterns of parasitism by tracheal mites (*Locustacarus buchneri*) in natural bumble bee populations. *Apidologie* 35: 351-357.
- Otterstatter, M.C., R.J. Gegear, S.R. Colla, and J.D. Thomson. 2005. Effects of parasitic mites and protozoa on the flower constancy and foraging rate of bumble bees. *Behavioral Ecology and Sociobiology* 58: 383–389.
- Otterstatter M.C. and J.D. Thomson. 2008. Does pathogen spillover from commercially reared bumble bees threaten wild pollinators? *PLoS ONE* 3:1-9.
- Otti, O. and P. Schmid-Hempel. 2007. *Nosema bombi*: A pollinator parasite with detrimental fitness effects. *Journal of Invertebrate Pathology* 96:118–124.
- Owen R.E. and T.L. Whidden. 2013. Discrimination of the bumble bee species *Bombus occidentalis* Greene and *B. terricola* Kirby by morphometric, colour and RAPD variation. *Zootaxa* 3608.
- Packer, L. and R. Owen. 2001. Population genetic aspects of pollinator decline. *Conservation Ecology* 5(1): Article 4 (online).
- Panzer R. 2002. Compatibility of prescribed burning with the conservation of insects in small, isolated prairie reserves. *Conservation Biology* 16(5):1296-1307.

- Pamilo P., Crozier R.H. 1997. Population biology of social insect conservation, Mem. Mus. Victoria. 56: 411–419.
- Pettis, J. S., D. vanEngelsdorp, J. Johnson, and G. Dively. 2012. Pesticide exposure in honey bees results in increased levels of the gut pathogen *Nosema*. *Naturwissenschaften* 99, 153–158.
- Piling, E. D. and P. C. Jepsen. 1993. Synergism between EBI fungicides and a pyrethroid insecticide in the honey bee (*Apis mellifera*). *Pesticide Science* 39(4) 293-297.
- Pisa *et al.* 2015 Effects of neonicotinoids and fipronil on non-target invertebrates. *Environ. Sci. Pollut. Res. Int.* 22, 68–102 (2015).
- Plath, O.E. 1922. Notes on the nesting habits of several North American bumble bees. *Psyche* 29(5- 6):189-202.
- Pleasants, J.M. and K.S. Oberhauser. 2013. Milkweed loss in agricultural fields because of herbicide use: effect on the monarch butterfly population. *Insect Conservation and Diversity* 6: 135-144.
- Potts, S.G., J.C. Biesmeijer, C. Kremen, P. Neumann, O. Schweiger, and W.E. Kunin. 2010. Global pollinator declines: Trends, impacts and drivers. *Trends in Ecological Evolution* 25:345–353.
- Power, A. G. and C. E. Mitchell. 2004. Pathogen Spillover in Disease Epidemics. *The American Naturalist* 164: S79-S89.
- Primack, D., C. Imbres, R.B. Primack, A.J. Miller-Rushing, and P. Del Tredici. 2004. Herbarium specimens demonstrate earlier flowering times in response to warming in Boston. *American Journal of Botany* 91:1260-1264.
- Pyke, G.H., J.D. Thomson, D.W. Inouye, and T.J. Miller. 2016. Effects of climate change on phenologies and distributions of bumble bees and the plants they visit. *Ecosphere* 7(3):e01267. 10.1002/ecs2.1267
- Rao, S. and J.P. Strange. 2012. Bumble Bee (Hymenoptera: Apidae) Foraging Distance and Colony Density Associated With a Late-Season Mass Flowering Crop. *Environmental Entomology*, 41(4):905-915.
- Roland J. and S.F. Matter. 2007. Encroaching forests decouple alpine butterfly population dynamics. *Proceedings of the National Academy of Sciences* 104:13702-13704.
- Rortais A, G. Arnold, M.P. Halm, F. Touffet-Briens. 2005. Modes of honeybees exposure to systemic insecticides: estimated amounts of contaminated pollen and nectar consumed by different categories of bees. *Apidologie* 36:71–83.
- Ruiz-Gonzalez, M. X. and M. J. F. Brown. 2006. Honey bee and bumblebee trypanosomatids: specificity and potential for transmission. *Ecological Entomology* 31: 616- 622.
- Rundlof, M., G. Andersson, R. Bommarco, I. Fries, V. Hederstrom, L. Herbertsson, O. Jonsson, B. Klatt, T. Pedersen, J. Yourstone, and H. Smith. 2015. Seed coating with a neonicotinoid insecticide negatively affects wild bees. *Nature* 521:77-80.
- Riddell, C.E. and E. B. Mallon. 2006. Insect psychoneuroimmunology: Immune response reduces learning in protein starved bumble bees (*Bombus terrestris*). *Brain Behav. Immun.* 20, 135–138.

- Ruckelshaus M.H., P. McElhany, and M.J. Ford. 2002. Recovering species of conservation concern: Are populations expendable? In *The Importance of Species: Setting Conservation Priorities*, pp. 305–29, ed. PM Kareiva, S Levin. Princeton, NJ: Princeton Univ. Press.
- Rutrecht. S.T. , J. Klee, and M.J. F. Brown. 2007. Horizontal transmission success of *Nosema bombi* to its adult bumble bee hosts: effects of dosage, spore source and host age. *Parasitology*. 134: 12: 1719-1726.
- Rutrecht S.T. and M.J.F. Brown. 2009. Differential virulence in a multiple host parasite of bumble bees: resolving the paradox of parasite survival? *Oikos* 118:941-949.
- Rutrecht, S.T. and M.J.F. Brown. 2009. Within colony dynamics of *Nosema bombi* infections: disease establishment, epidemiology and potential vertical transmission. *Apidologie* 39:504–514.
- Samson, F. and F. Knopf. 1994. Prairie conservation in North America. *Bioscience* 44, 418–421.
- Sanchez-Bayo, F., and K. Goka. 2014. Pesticide residues and bees – a risk assessment. *PLOS ONE* 9 e94482. Doi: 10.1371/journal.pone.00094482; pmid:2478419.
- Scholer, J. and V. Krischik. 2014. Chronic Exposure of Imidacloprid and Clothianidin Reduce Queen Survival, Foraging, and Nectar Storing in Colonies of *Bombus impatiens*. *PLoS ONE* 9(3): e91573.
- Schmuck R., Stadler T. and H.W. Schmidt. 2003. Field relevance of a synergistic effect observed in the laboratory between an EBI fungicide and a chloronicotinyl insecticide in the honey bee (*Apis mellifera* L, Hymenoptera) *Pest Manag Sci*. 59:279–286.
- Schultz C.B. and E.E. Crone. 1998. Burning prairie to restore butterfly habitat: A modeling approach to management tradeoffs for the Fender’s blue. *Restoration Ecology* 6(3): 244-252.
- Scohier A., A. Ouin, A. Farruggia, and B. Dumont. 2013. Is there a benefit of excluding sheep from pastures at flowering peak on flower-visiting insect diversity? *Journal of Insect Conservation* 17:287-294.
- Scott-Dupree CD, L Conroy, and CR Harris. 2009. Impact of currently used or potentially useful insecticides for canola agroecosystems on *Bombus impatiens* (Hymenoptera: Apidae), *Megachile rotundata* (Hymenoptera: Megachilidae), and *Osmia lignaria* (Hymenoptera: Megachilidae). *Journal of Economic Entomology* 102:177-182.
- Shaffer, M. L. 1981. Minimum Population Sizes for Species Conservation. *BioScience* .31 (2): 131-134.
- Shaffer, M. L., and B. A. Stein. 2000. Safeguarding our precious heritage. *Precious heritage: the status of biodiversity in the United States*. Oxford University Press, New York: 301-321.
- Sih, A., A. M. Bell, and J. L. Kerby. 2004. Two stressors are far deadlier than one. *Trends Ecol. Evol.* 19, 274–276.
- Singh, R., A.L. Levitt, E.G. Rajotte, E.C. Holmes, N. Ostiguy, D. vanEngelsdorp, W.I. Lipkin, C.W. dePamphilis, A.L. Toth, and L. Cox-Foster. 2010. RNA Viruses in Hymenopteran Pollinators: Evidence of Inter-Taxa Virus Transmission via Pollen and Potential Impact on Non-*Apis* Hymenopteran Species. *PLoS ONE* 5(12): e14357. doi:10.1371/journal.pone.0014357.
- Smallidge P.J. and D.J. Leopold. 1997. Vegetation management for the maintenance and conservation of butterfly habitats in temperate human-dominated habitats. *Landscape and Urban Planning* 38:259-280.
- Spivak M., Mader E., Vaughn M., and Euliss N. 2011. The plight of the bees. *Environmental Science & Technology* 45:34-38.

- Stephen, W. P. 1957. Bumble Bees of Western America. Oregon State College, Agricultural Experiment Station, Technical Bulletin 40.
- Stokstad, E. 2013. How big a role should neonicotinoids play in food security? *Science*. 340:675.
- Sugden E.A. 1985. Pollinators of *Astragalus monoensis* Barneby (Fabaceae) - New host records - Potential impact of sheep grazing. *Great Basin Naturalist* 45:299-312.
- Sur R. and A. Stork. 2003. Uptake, translocation and metabolism of imidacloprid in plants. *Bulletin of Insectology* 56: 35-40.
- Szabo, N.D., S.R. Colla, D.L. Wagner, L.F. Gall, and J.T. Kerr. 2012. *Conservation Letters* 5: 232-239.
- Thompson, H.M., and L.V. Hunt. 1999. Extrapolating from honey bees to bumble bees in pesticide risk assessment. *Ecotoxicology* 8:147-166.
- Thompson H.M. 2001. Assessing the exposure and toxicity of pesticides to bumblebees (*Bombus* sp.). *Apidologie* 32:305-321.
- Thompson, H.M., S. Wilkins, S. Harkin, S. Milner, and K.F.A. Walters. 2014. Neonicotinoids and bumble bees (*Bombus terrestris*): effects on nectar consumption in individual workers. Wiley Online Library at: [wileyonlinelibrary.com](http://wileyonlinelibrary.com) DOI 10.1002/ps.3868.
- Thomson J.D. 2010. Flowering phenology, fruiting success and progressive deterioration of pollination in an early-flowering geophyte. *Philosophical Transactions of the Royal Society B: Biological Sciences* 365:3187-3199.
- Thornton, P.E., M.M. Thornton, B.W. Mayer, N. Wilhelmi, Y. Wei, R. Devarakonda, and R.B. Cook. 2014. Daymet: Daily Surface Weather Data on a 1-km Grid for North America, Version 2. ORNL DAAC, Oak Ridge, Tennessee, USA. Accessed Month DD, YYYY. Time period: YYYY-MM-DD to YYYY-MM-DD. Spatial range: N=DD.DD, S=DD.DD, E=DDD.DD, W=DDD.DD.
- Thorp, R.W., D.S. Horning, and L.L. Dunning. 1983. Bumble bees and cuckoo bumble bees of California (Hymenoptera: Apidae). *Bulletin of the California Insect Survey* 23.  
<http://dx.doi.org/10.3334/ORNLDAAC/1219>.
- Thorp, R. W. 2005. Species Profile: *Bombus franklini*. In Shepherd, M D; Vaughan, D M; Black, SH (Eds). Red List of Pollinator Insects of North America. The Xerces Society for Invertebrate Conservation, Portland, Oregon.
- Thorp, R.W. and M.D. Shepherd. 2005. Subgenus *Bombus*. Latreille, 1802 (Apidae: Apinae: *Bombini*). In Shepherd, M. D., D. M. Vaughan, and S. H. Black (eds.) Red List of Pollinator Insects of North America. CD-ROM Version 1 (May 2005). Portland, OR: The Xerces Society for Invertebrate Conservation.  
[http://www.xerces.org/Pollinator\\_Red\\_List/Bees/Bombus\\_Bombus.pdf](http://www.xerces.org/Pollinator_Red_List/Bees/Bombus_Bombus.pdf)
- Tripodi, A. In process.
- Tyler, E. R., S. Adams, and E. B. Mallon. 2006. An immune response in the bumble bee, *Bombus terrestris* leads to increased food consumption. *BMC Physiology*. 6:1-4.
- U.S. Drought Monitor. 2016. <http://droughtmonitor.unl.edu/AboutUs/ClassificationScheme.aspx>

- U.S. Environmental Protection Agency (EPA). 2014. Guidance for Assessing Pesticide Risks to Bees. Office of Pesticide Programs, United States Environmental Protection Agency, Washington, D.C. 20460. 59 pages.
- U.S. Fish and Wildlife Service (Service). 2016. Rusty patched bumble bee (*Bombus affinis*) unpublished geodatabase.
- U.S. Geological Survey (USGS). 2016. National Pesticide Synthesis Website <http://water.usgs.gov/nawqa/pnsp/usage/maps/index.php>. Accessed 2016.
- U.S. Forest Service. 2016. [http://www.nrs.fs.fed.us/disturbance/invasive\\_species/eab/control\\_management/systemic\\_insecticides/](http://www.nrs.fs.fed.us/disturbance/invasive_species/eab/control_management/systemic_insecticides/). Accessed April 2016.
- van Der Steen J.J.M. 2008. Infection and transmission of *Nosema bombi* in *Bombus terrestris* colonies and its effect on hibernation, mating and colony founding. *Apidologie* 39:273-282.
- van Wilgenburg E., G. Driessen, and L.W. Beukeboom. 2006. Single locus complementary sex determination in Hymenoptera: an “unintelligent” design? *Frontiers in Zoology* 3:1-15.
- Vazquez, D.P. and D. Simberloff. 2003. Changes in interaction biodiversity induced by an introduced ungulate. *Ecology Letters* 6:1077-1083.
- Vidau C., Marie Diogon, Julie Aufauvre, Régis Fontbonne, Bernard Viguès, Jean-Luc Brunet, Catherine Texier, David G. Biron, Nicolas Blot, Hicham El Alaoui, Luc P. Belzunces, and Frédéric Delbac. 2011. Exposure to sublethal doses of fipronil and thiacloprid highly increases mortality of honey bees previously infected by *Nosema ceranae*. *PLOS ONE* 6, e21550.
- Wardlow, B.D., T. Tadesse, J.F. Brown, K. Callahan, S. Swain, and E. Hunt. 2012. Vegetation Drought Response Index, chap. 3 of Wardlow, B.D., Anderson, M.C., and Verdin, J.P., eds., *Remote sensing of drought—Innovative monitoring approaches*: Boca Raton, Fla., CRC Press, p. 51-74, available at: <http://www.crcnetbase.com/isbn/9781439835609>.
- Westphal C., I. Steffan-Dewenter, and T. Tschardtke. 2003. Mass flowering crops enhance pollinator densities at a landscape scale. *Ecology Letters* 6:961-965.
- Westphal C, I. Steffan-Dewenter, and T. Tschardtke. 2009. Mass flowering oilseed rape improves early colony growth but not sexual reproduction of bumblebees. *Journal of Applied Ecology* 46:187-193.
- Whitehorn P.R., M.C. Tinsley, M.J.F. Brown, B. Darvill, and D. Goulson. 2009. Impacts of inbreeding on bumblebee colony fitness under field conditions. *BMC Evolutionary Biology* 9:152.
- Whitehorn P.R., M.C. Tinsley, M.J.F. Brown, B. Darvill, and D. Goulson. 2010. Genetic diversity, parasite prevalence and immunity in wild bumblebees. *Proceedings of the Royal Society: Biological Sciences* 278:1195-1202.
- Whitehorn, P.R., S. O’Connor, F.L. Wackers, D. Goulson. 2012. Neonicotinoid pesticide reduces bumblebee colony growth and queen production. *Science* 336, 351–352.
- Whitehorn, P.R., M.C. Tinsley, M.J.F. Brown, B. Darvill, and D. Goulson. 2014. Genetic diversity and parasite prevalence in two species of bumble bee. *Journal of Insect Conservation* 18:667–673.
- Whittington R., M.L. Winston, C. Tucker, and A.L. Parachnowitsch. 2004. Plant-species identity of pollen collected by bumblebees placed in greenhouses for tomato pollination. *Canadian Journal of Plant Science* 84:599-602.

- Widmer, A., P. Schmid-Hempel, A. Estoup, and A. Scholl. 1998. Population genetic structure and colonization history of *Bombus terrestris* s.l. (Hymenoptera: Apidae) from the Canary Islands and Madeira. *Heredity* 81:563-572.
- Williams, P. 2005. Does specialization explain rarity and decline among British bumble bees? A response to Goulson *et al.* *Biological Conservation* 122:33–43.
- Williams, P.H., S.A. Cameron, H.M. Hines, B. Cederberg, and P. Rasmont. 2008. A simplified subgeneric classification of the bumble bees (genus *Bombus*). *Apidologie* 39:46-74.
- Williams, P.H. and J.L. Osborne. 2009. Bumble bee vulnerability and conservation world-wide. *Apidologie* 40: 367-387.
- Williams P.H., M.J.F. Brown, J.C. Carolan, J. An, D. Goulson, A. Murat Ayetkin, L.R. Best, A.M. Byvaltsev, B. Cederberg, R. Dawson, J. Huang, M. Ito, A. Monfared, R.H. Raina, P. Schmid-Hempel, C.S. Sheffield, P. Sima, and Z. Xie. 2012. Unveiling cryptic species of the bumblebee subgenus *Bombus* s. str. Worldwide with COI barcodes (Hymenoptera: Apidae). *Systematics and Biodiversity* 1-36.
- Willis, C.G., B.R. Ruhfel, R.B. Primack, A.J. Miller-Rushing, J.B. Losos, C.C. Davis. 2010. Favorable Climate Change Response Explains Non-Native Species' Success in Thoreau's Woods. *PLoS ONE* 5(1):1-5.
- Winter, K., L. Adams, R. Thorp, D. Inouye, and L. Day. 2006. Importation of non-native bumble bees into North America: Potential consequences of using *Bombus terrestris* and other non-native bumble bees for greenhouse crop pollination in Canada, Mexico and United States. North American Pollinator Protection Campaign (NAPCC), White Paper.
- Wolf, S. and RFA Moritz. 2008. Foraging distance in *Bombus terrestris* (Hymenoptera: Apidae). *Apidologie* 38:419-427.
- Woodward, S.H., J.D. Lozier, D. Goulson, P.H. Williams, J.P. Strange, and S. Jha. 2015. Molecular tools and bumble bees: revealing hidden details of ecology and evolution in a model system. *Molecular Ecology* 24:2915-2936.
- Xerces Society for Invertebrate Conservation. 2013. Petition to list the rusty patched bumble bee. 42pp.
- Xie Z., P.H. Williams, and Y. Tang. 2008. The effect of grazing on bumblebees in the high rangelands of the eastern Tibetan Plateau of Sichuan. *Journal of Insect Conservation* 12(6): 695-703.
- Zayed, A. 2009. Bee genetics and conservation. *Apidologie*. Springer Verlag. 40 (2): 237-262.
- Zayed, A. and L. Packer. 2005. Complementary sex determination substantially increases extinction proneness of haplodiploid populations. *Proceedings of the National Academy of Sciences* 102:10742-10746.